

VOYGAR Indoor FTTH Plastic Fibre Optical Cable Access Termination Box 2 Port SC Simplex/ LC Duplex Slots

Ref. TB20A202



2 port mini odf indoor terminal applied in the FTTH network to connect the drop cable and optical devices through fibre port. VT20 covers the capacity of 1 core, 2 cores and 4 cores and supports splicing, mechanical connection and FMC, wall mounted installation

Features

- White colour, graceful style and good adaptability to environment.
- Made of high quality ABS+PC, anti-collision, flame retardant, resistance to impact.
- All the materials complied with ROHS standard.
- Excellent ergonomics design, graceful appearance and convenience operation.
- Fibre cable inlets in every direction, supports the cable inlets for different scenarios.
- Remarkable laser warning identification.
- With clear introductions, effectively prevent the miss-operation.
- Easy operation, saving installation working hours, lower costs.

Application

- A user end product to realize optical fibre to desktop solution.
- It can be used in home or working area to accomplish double-core fibre access and port Output.
- Used in the end termination of residential buildings and villas, to fix and splice with pigtailed.
- Used in FTTH indoor application, home or work area
- Provide users with optical access or data access
- Suitable for 2 pcs SC adapters
- May store surplus fibre inside, easy for operation

FTTH Wall Mount Faceplate 2 SC Fiber Optic Faceplate Indoor 2 Port Mini ODF:
Terminal box, 1 unit

Operation conditions

Temperatures:	-40°C to +60°C
Compliance	RoHS, REACH

Dimensions

Height	23 mm
Width	86 mm
Depth	86 mm

Standards

TIA/EIA 568.C,
ISO/IEC 11801,
EN 50173,
IEC 60304,
IEC 61754,
EN 297-1
RoHS, REACH